References

[Acharya12] U. R. Acharya, et al. "Application of non-linear and wavelet based features for the automated identification of epileptic EEG signals." International journal of neural systems 22.02 (2012): 1250002.

[Achutegui14] K. Achutegui, D. Crisan, J. Míguez, and G. Ríos, A simple scheme for the parallelization of particle filters and its application to the tracking of complex stochastic systems. arXiv:1407.8071, July 2014.

[Adler98] R. J. Adler, R. E. Feldman, and M. S. Taqqu, Eds., A practical guide to heavy tails: statistical techniques and applications. Birkhaüser, 1998.

[Alspach72] D. L. Alspach and H.W. Sorenson, “Nonlinear Bayesian estimation using Gaussian sum approximations,” IEEE Trans. Automat. Contr., vol. 17, no. 4, pp. 439–448, Aug. 1972.

[Andersson10] M. Andersson, V. Rathi, R. Thobaben, J. Kliewer, and M. Skoglund, “Nested polar codes for wiretap and relay channels,” IEEE Commun. Lett., vol. 14, no. 8, pp. 752–754, Aug. 2010.

[Ando05] R. K. Ando and T. Zhang. A high-performance semi-supervised learning method for text chunking. In Proceedings of the 43rd annual meeting on association for computational linguistics, pages 1{9. Association for Computational Linguistics, 2005.

[Andrews74] A. F. Andrews and C. L. Mallows, “Scale mixtures of normal distributions,” Journal of the Royal Statistical Society. Series B, vol. 36, no. 1, pp. 99–102, 1974.

[Andrieu04] C. Andrieu, A. Doucet, S. S. Sumeetpal, and V. B. Tadi´c, “Particle methods for change detection, system identification, and control,” Proceedings of the IEEE, vol. 92, no. 3, pp. 423–438, 2004.

[APDM15] "APDM INC. opal technical specification," http://www.apdm.com/.

[Arasaratnam07] I. Arasaratnam, S. Haykin, and R. J. Elliot, “Discrete-time nonlinear filtering algorithms using Gauss-Hermite quadrature,” Proc. of the IEEE, vol. 95, no. 5, pp. 953–977, 2007.

[Arasaratnam09] I. Arasaratnam and S. Haykin, “Cubature Kalman filters,” IEEE Trans. Automatic Control, vol. 54, no. 6, pp. 1254–1269, June 2009.

[Argyriou08] A. Argyriou, T. Evgeniou, and M. Pontil. Convex multi-task feature learning. Machine Learning, 73(3):243-272, 2008.

[Arikan09] E. Arikan, “Channel polarization: a method for constructing capacity- achieving codes for symetric binary-input memoryless channels,” IEEE Trans. Inf. Theory, vol. 55, no. 9, pp. 3051–3073, July 2009.

[Bedard11] C. Bedard, S. Behuret, C. Deleuze, T. Bal, and A. Destexhe, “Oversampling method to extract excitatory and inhibitory conductances from

single-trial membrane potential recordings," Journal of neuroscience methods, Set. 2011.

[Bellavista08] P. Bellavista, A. Kupper, and S. Helal, "Location-based services: Back to the future," IEEE Pervasive Comput., vol. 7, no. 2, pp. 85–89, Apr.–Jun. 2008.

[Ben-David03] S. Ben-David and R. Schuller. Exploiting task relatedness for multiple task learning. In Learning Theory and Kernel Machines, pages 567-580. Springer, 2003.

[Bengtsson08] T. Bengtsson, P. Bickel, and B. Li. "Curse-of-dimensionality revisited: Collapse of the particle filter in very large scale systems." In Probability and statistics: Essays in honor of David A. Freedman, pp. 316-334. Institute of Mathematical Statistics, 2008.

[Beskos14] A. Beskos, D. Crisan, and A. Jasra. "On the stability of sequential Monte Carlo methods in high dimensions." The Annals of Applied Probability 24.4 (2014): 1396-1445.

[Bockelmann13] C. Bockelmann, H. F. Schepker, and A. Dekorsy, "Compressive Sensing based Multi-User Detection for Machine-to-Machine Communication," Trans. Emerging Tel. Tech., vol. 24, pp. 389–400, Apr. 2013.

[Bravo-Santos13] A. Bravo-Santos, Polar Codes for Gaussian Degraded Relay Channels. IEEE Comm. Letters, 17 - 2, pp.365-368. ISSN 1089-7798.

[Bravo-Santos15] A. Bravo-Santos and P. M. Djuric. Detectors for cooperative mesh networks with decode-and-forward relays. IEEE Transactions on Signal Processing. IEEE. 63 - 1, pp 5-17, 2015.

[Breese98] J. S. Breese, D. Heckerman, and C. Kadie, "Empirical analysis of predictive algorithms for collaborative filtering," in Proceedings of the Fourteenth conference on Uncertainty in artificial intelligence. Morgan Kaufmann Publishers Inc., 1998, pp. 43-52.

[Brette12] R. Brette, and A. Destexhe, Handbook of Neural Activity Measurement, Cambridge University Press, 2012.

[Bugallo14] M. F. Bugallo and P. M. Djuric. "Particle filtering in high-dimensional systems with Gaussian approximations." Acoustics, Speech and Signal Processing (ICASSP), 2014 IEEE International Conference on. IEEE, 2014.

[Caron08] F. Caron, M. Davy, A. Doucet, E. Duflos, P. Vanheeghe, "Bayesian Inference for Linear Dynamic Models with Dirichlet Process Mixtures," IEEE Transactions on Signal Processing, Vol. 56(1), pp. 71-84, 2008.

[Caruana97] R. Caruana. Multitask learning. Machine learning, 28(1):41-75, 1997.

[Closas12a] P. Closas, M. F. Bugallo, Improving Accuracy by Iterated Multiple Particle Filtering , IEEE Signal Processing Letters, Vol. 19, No. 8, pp. 531-534, August 2012.

[Closas12b] P. Closas, C. Fernández-Prades, J. Vilà-Valls, Multiple Quadrature Kalman Filtering , IEEE Transactions on Signal Processing, Vol. 60, No. 12, pp. 6125-6137, December 2012.

[Closas13a] P. Closas, and A. Guillamon, “Estimation of neural voltage traces and associated variables in uncertain models,” BMC Neuroscience, vol. 14, no. 1, pp. 1151, July 2013.

[Closas13b] P. Closas, and A. Guillamon, “Sequential estimation of gating variables from voltage traces in single-neuron models by particle filtering,” Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, ICASSP 2013, Vancouver, Canada, May 2013.

[Closas14] P. Closas, Sequential estimation of neural models by Bayesian filtering , Master Thesis, Advanced Mathematics and Mathematical Engineering. Universitat Politècnica de Catalunya (UPC). Barcelona. Spain. July 2014.

[Dardari11] D. Dardari, E. Falletti, and M. Luise, Satellite and Terrestrial Radio Positioning Techniques—A Signal Processing Perspective, London, U.K.: Elsevier, 2011, p. 464.

[Dardari15] D. Dardari, P. Closas, P. Djuric, Indoor Tracking: Theory, Methods, and Technologies , IEEE Trans. on Vehicular Technologies, Vol. 64, No. 4, pp. 1263-1278, 2015.

[Daumé09] H. Daumé III. Frustratingly easy domain adaptation. arXiv preprint arXiv:0907.1815, 2009.

[Davies12] M. E. Davies and Y. C. Eldar, “Rank Awarness in Joint Sparse Recovery,” IEEE Trans. Inform. Theory, vol. 58, no. 2, Feb. 2012.

[Dayan05] P. Dayan, and L. F. Abbott, Theoretical Neuroscience: Computational and Mathematical Modeling of Neural Systems, The MIT Press, 2005.

[Djuric07] P. M. Djuric, T. Lu, and M. F. Bugallo, “Multiple particle filtering,” in Proceedings of the IEEE 32nd International Conference on Acoustics, Speech and Signal Processing (ICASSP), 2007.

[Djuric10] P. M. Djuric and J. Míguez. "Assessment of nonlinear dynamic models by Kolmogorov–Smirnov statistics." Signal Processing, IEEE Transactions on 58, no. 10 (2010): 5069-5079.

[Doshi-Velez09] F. Doshi-Velez, S. Mohamed, Z. Ghahramani and D. A. Knowles, "Large scale nonparametric Bayesian inference: data parallelisation in the Indian buffet process," Advances in Neural Information Processing Systems, December 2009.

[Doucet01] A. Doucet, N. D. Freitas, and N. Gordon, Eds., Sequential Monte Carlo methods in practice. Springer, 2001.

[Durrant-Whyte06] H. Durrant-Whyte and T. Bailey, “Simultaneous localisation and mapping (SLAM): Part I The essential algorithms,” IEEE Robot. Autom. Mag., vol. 13, no. 2, pp. 99–110, Jun. 2006.

[Ermentrout10] B. Ermentrout, D. Terman, \Mathematical Foundations of Neuroscience", New York: Springer, 2010. ISBN 978-0-387-87708-2.

[Faust15] O. Faust, et al. "Wavelet-based EEG processing for computer-aided seizure detection and epilepsy diagnosis." Seizure 26 (2015): 56-64.

[Ferguson73] T. S. Ferguson, A bayesian analysis of some nonparametric problems, The Annals of Statistics, vol. 1, no.2, pp. 209–230, 1973.

[Florentino12] B. Florentino-Liaño, N. O'Mahony, and A. Artés-Rodríguez, "Hierarchical dynamic model for human daily activity recognition." in BIOSIGNALS, 2012, pp. 61-68.

[Foti14] N. Foti, J. Xu, D. Laird and E. B. Fox, "Stochastic variational inference for hidden Markov models," Advances in Neural Information Processing Systems, 2014.

[Fox03] D. Fox, J. Hightower, L. Liao, D. Schulz, and G. Borriello, “Bayesian filtering for location estimation,” IEEE Pervasive Comput., vol. 2, no. 3,pp. 24–33, Jul./Sep. 2003.

[Gao08] J. Gao, W. Fan, J. Jiang, and J. Han. Knowledge transfer via multiple model local structure mapping. In Proceedings of the 14th ACM SIGKDD international conference on Knowledge discovery and data mining, pages 283-291. ACM, 2008.

[Godsill00] S. J. Godsill, “Inference in symmetric alpha-stable noise using MCMC and the slice sampler,” in Proc. IEEE ICASSP, Istanbul, Turkey, June 2000, pp. 3806 – 3809.

[Gonzalez11] J. Gonzalez, Y. Low, A. Gretton and C. Guestrin, "Parallel Gibbs sampling: from colored fields to thin junction trees," International Conference on Artificial Intelligence and Statistics, May 2011.

[Gretton06] A. Gretton, K. M. Borgwardt, M. Rasch, B. Sch olkopf, and A. J. Smola. A kernel method for the two-sample-problem. In Advances in neural information processing systems, pages 513-520, 2006.

[Griffiths11] T. L. Griffiths and Z. Ghahramani, "The Indian buffet process: An introduction and review," Journal of Machine Learning Research, vol. 12, pp. 1185-1224, 2011.

[Guillamon06] A. Guillamon, D. W. McLaughlin, and J. Rinzel, “Estimation of synaptic conductances,” Journal of physiology, Paris , vol. 100, no. 1-3, pp. 31-42, 2006.

[Gulati10] K. Gulati, B. L. Evans, J. G. Andrews, and K. R. Tinsley, “Statistics of co–channel interference in a field of poisson and poisson–poisson clustered

interferers," IEEE Trans. on Signal Processing, vol. 58, no. 12, pp. 6207–6222, 2010.

[Haissaguerre98] M. Haissaguerre, P. Jais, D. C. Shah, et al. Spontaneous initiation of atrial fibrillation by ectopic beats originating in the pulmonary veins. N Engl J Med 1998;339:659–66.

[Hamet06] P. Hamet, and J. Tremblay. Genetics of the sleep-wake cycle and its disorders. Metabol. Clinical and Experimental.2006; 55 (suppl 2).S7-S12

[Harrop14] P. Harrop and R. Das, "Mobile Phone Indoor Positioning Systems (IPS) and Real Time Locating Systems (RTLS) 2014-2024: Forecasts, players, opportunities," IDTechEx, Cambridge, U.K., 2014.

[Hensman15] J. Hensman, M. Rattray and N. D. Lawrence, "Fast nonparametric clustering of structured time-series," IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. 37, no. 2, pp. 383-393, 2015.

[Hoffman13b] J. Hensman, N. Fusi and N. D. Lawrence, "Gaussian processes for big data," Uncertainty in Artificial Intelligence, 2013.

[Hodgkin52] A. L. Hodgkin, and A. F. Huxley, "The components of membrane conductance in the giant axon of Loligo," J Physiol., vol. 116, no. 4, pp. 473{496, April 1952.

[Hoffman13a] M. D. Hoffman, D. M. Blei, C. Wang and J. Paisley, "Stochastic variational inference," Journal of Machine Learning Research, vol. 14, pp. 1303-1347, May 2013.

[Izhikevich06] E. Izhikevich, Dynamical systems in neuroscience: the geometry of excitability and bursting, MIT Press, Cambridge, MA, 2006.

[Jacob09] L. Jacob, J.-p. Vert, and F. R. Bach. Clustered multi-task learning: A convex formulation. In Advances in neural information processing systems, pages 745-752, 2009.

[Jordan99] M. I. Jordan, Z. Ghahramani, T. S. Jaakola and L. K. Saul, "An introduction to variational methods for graphical models," Machine Learning, vol. 37, no. 2, pp. 183-233, November 1999.

[Keener09] J. P. Keener, and J. Sneyd, Mathematical physiology. I. , Cellular physiology, Interdisciplinary applied mathematics, Springer, New York, London, 2009.

[Kiran00] Kiran and D. N. C. Tse, "Effective Interference and Effective Bandwidth of Linear Multiuser Receivers in Asynchronous CDMA Systems," IEEE Trans. Inform. Theory, vol. 46, no. 4, Jul. 2000.

[Kobayashi11] R. Kobayashi, Y. Tsubo, P. Lansky, and S. Shinomoto, "Estimating time-varying input signals and ion channel states from a single voltage trace of a neuron," Advances in Neural Information Processing Systems (NIPS), vol. 24, pp. 217-225, 2011.

[Koblents14] E. Koblents and J. Míguez. "A population Monte Carlo scheme with transformed weights and its application to stochastic kinetic models." Statistics and Computing 25, no. 2 (2014): 407-425.

[Krummen15] D. E. Krummen, V. Swarup, and S. M. Narayan, The role of rotors in atrial fibrillation, J Thorac Dis. 2015 Feb 26.

[Kurose00] J. F. Kurose and K. W. Ross, Computer Networking: A Top-Down Approach Featuring the Internet, Addison Wesley, 2000.

[Lankarany13] M. Lankarany, W. P. Zhu, M. N. S. Swamy, and Taro Toyoizumi, “Inferring trial-to-trial excitatory and inhibitory synaptic inputs from membrane potential using Gaussian mixture Kalman filtering", Frontiers in Computational Neuroscience, vol. 7, 2013.

[Lankarany14] M. Lankarany, W.-P. Zhu, and M.N.S. Swamy, “Joint estimation of states and parameters of hodgkinhuxley neuronal model using Kalman filtering", Neurocomputing, vol. 136, pp. 289-299, 2014.

[Leiva-Murillo13] J. M. Leiva-Murillo, L. Gómez-Chova, and G. Camps-Valls. Multitask remote sensing data classi cation. Geoscience and Remote Sensing, IEEETransactions on, 51(1):15-161, 2013.

[Liu07] H. Liu, H. Darabi, P. Banerjee, and J. Liu, “Survey of wireless indoor positioning techniques and systems,” IEEE Trans. Syst., Man, Cybern.—Part C: Appl. Rev., vol. 37, no. 6, pp. 1067–1080, Nov. 2007.

[Lombardi06] M. J. Lombardi and S. J. Godsill, “On–line Bayesian estimation of signals in symmetric alpha-stable noise,” IEEE Trans. on Signal Processing, vol. 54, no. 2, pp. 775–779, February 2006.

[Lovell13] D. Lovell, J. Malmaud, R. P. Adams and V. K. Mansinghka, "Clustercluster: parallel Markov chain Monte Carlo for Dirichlet process mixtures," arXiv preprint:1304.2302, 2013.

[Maíz12] C. S. Maíz, E. M. Molanes-Lopez, J. Míguez, and P. M. Djurić. "A particle filtering scheme for processing time series corrupted by outliers." Signal Processing, IEEE Transactions on 60, no. 9 (2012): 4611-4627.

[Mehra72] R. Mehra, “Approaches to adaptive filtering,” IEEE Trans. on Automatic Control, vol. 17, no. 10, pp. 693–698, 1972.

[Middleton99] D. Middleton, “Non–Gaussian noise models in signal processing for telecommunications: new methods and results for Class A and Class B noise models,” IEEE Trans. on Information Theory, vol. 45, no. 4, pp. 1129–1149, May 1999.

[Minka01] T. Minka, "A family of algorithms for approximate Bayesian inference," PhD Thesis, Massachusetts Institute of Technology, 2001.

[Minsker14] S. Minsker, et al. "Robust and scalable Bayes via a median of subset posterior measures." arXiv preprint arXiv:1403.2660 (2014).

[Montanari06] A. Montanari, B. Prabhakar, and D. N. C. Tse, “Belief Propagation based Multi-User Detection,” in Proc. Allerton Conf. on Commun., Control, and Computing, Monticello, Il, USA, Sep. 28–30 2005.

[Morelande07] M. R. Morelande, C. M. Kreucher, and K. Kastella. "A Bayesian approach to multiple target detection and tracking." Signal Processing, IEEE Transactions on 55, no. 5 (2007): 1589-1604.

[Narayan12] S. M. Narayan, D. E. Krummen, W. J. Rappel. Clinical mapping approach to diagnose electrical rotors and focal impulse sources for human atrial fibrillation. J Cardiovasc Electrophysiol 2012;23:447-54.

[Narayan13] S. M. Narayan, D. E. Krummen, P. Clopton, et al. Direct or coincidental elimination of stable rotors or focal sources may explain successful atrial fibrillation ablation: on-treatment analysis of the CONFIRM trial (Conventional ablation for AF with or without focal impulse and rotor modulation). J Am Coll Cardiol2013;62:138-47.

[Nattel02] S. Nattel. New ideas about atrial fibrillation 50 years on. Nature, 415:219–226, January 2002.

[Nazábal15] A. Nazábal, P. García-Moreno, A. Artés-Rodríguez, and Z. Ghahramani, "Human activity recognition by combining a small number of classifiers," Journal on Biomedical and Health Informatics, 2015.

[Newmann07] D. Newmann, P. Smyth, M. Welling and A. U. Asuncion, "Distributed inference for latent Dirichlet allocation," Advances in Neural Information Processing Systems, 2007.

[Nikias95] C. L. Nikias and M. Shao, Signal processing with alpha–stable distributions and applications. John Wiley and Sons, 1995.

[Palmier-Claus12] J. E. Palmier-Claus, J. Ainsworth, M. Machin, C. Barrowclough, G. Dunn, E. Barkus et al. The feasibility and validity of ambulatory self-report of psychotic symptoms using a smartphone software application. BMC Psychiatry 2012; 12(1): 172.

[Paninski12] L. Paninski, M. Vidne, B. De Pasquale, and D. Gil Ferreira, “Inferring synaptic inputs given a noisy voltage trace via sequential Monte Carlo methods,” Journal of Computational Neuroscience, vol. 33, no. 1, pp. 1-19, 2012.

[Paolini14] E. Paolini, Č. Stefanović, G. Liva, and P. Popovski, “Coded Random Access: How Coding Theory Helps to Build Random Access Protocols,” IEEE Commun. Mag., submitted for publication. Available: http://arxiv.org/abs/1405.4127

[Patterson10] T. L. Patterson and B. T. Mausbach, "Measurement of functional capacity: a new approach to understanding functional di erences and real-world behavioral adaptation in those with mental illness," Annual review of clinical psychology, vol. 6, p. 139, 2010.

[Petar14] P. M. Djuric; Ángel M. Bravo Santos. "Cooperative mesh networks with EGC detectors". 2014 IEEE 8th Sensor Array and Multichannel Signal Processing Workshop (SAM14), A Coruña, Jun. 14, pp. 225 - 228. .

[Pitman02] J. Pitman, "Combinatorial stochastic processes", Technical Report 621, Dept. Statistics, UC Berkeley, 2002

[Pospischil08] M. Pospischil, M. Toledo-Rodriguez, C. Monier, Z. Piwkowska, T. Bal, Y. Fregnac, H. Markram, and A. Destexhe, “Minimal hodgkin-huxley type models for different classes of cortical and thalamic neurons,” Biological Cybernetics, vol. 99, no. 4-5, pp. 427-441, 2008.

[Pradier14] M. F. Pradier, P. G. Moreno, F. J. R. Ruiz, I. Valera, H. Molina-Bulla and F. Perez-Cruz, "Map/Reduce uncollapsed Gibbs sampling for Bayesian non parametric models," NIPS Workshop on Software Engineering for Machine Learning, 2014.

[Quionero-Candela09] J. Quionero-Candela, M. Sugiyama, A. Schwaighofer, and N. D. Lawrence. Dataset shift in machine learning. The MIT Press, 2009.

[Rangaswamy93] M. Rangaswamy, D. Weiner, and A. Ozturk, “Non-Gaussian random vector identification using spherically invariant random processes,” IEEE Trans. Aerosp. Electron. Syst., vol. 26, pp. 111–124, Jan. 1993.

[Rasmussen06] C. E. Rasmussen and C. Williams, "Gaussian processes for machine learning," MIT Press, 2006.

[Ristic04] B. Ristic, S. Arulampalam, and N. J. Gordon. Beyond the Kalman filter: Particle filters for tracking applications. Artech house, 2004.

[Robert99] C. P. Robert and G. Casella, "Monte Carlo statistical methods." Springer, New York (NY), 1999.

[Rudolph03] M. Rudolph, and A. Destexhe, “Characterization of subthreshold voltage uctuations in neuronal membranes,” Neural Comput., vol. 15, no. 11, pp. 2577-2618, nov. 2003.

[Rudolph04] M. Rudolph, Z. Piwkowska, M. Badoual, T. Bal, and A. Destexhe, “A method to estimate synaptic conductances from membrane potential fluctuations,” J. Neurophysiol., no. 91, pp. 2884-2896, 2004.

[Sabatini05] A. M. Sabatini, C. Martelloni, S. Scapellato, and F. Cavallo, "Assessment of walking features from foot inertial sensing," Biomedical Engineering, IEEE Transactions on, vol. 52, no. 3, pp. 486-494, 2005.

[Sahinoglu08] Z. Sahinoglu, S. Gezici, and I. Guvenc, Ultra-Wideband Positioning Systems: Theoretical Limits, Ranging Algorithms, and Protocols. Cambridge, U.K.: Cambridge Univ. Press, 2008.

[Sarwar01] B. Sarwar, G. Karypis, J. Konstan, and J. Riedl, "Item-based collaborative filtering recommendation algorithms," in Proceedings of the 10th international conference on World Wide Web. ACM, 2001, pp. 285-295.

[Sendonaris03] A. Sendonaris, E. Erkip, B. Aazhang, and J. N. Laneman, “User cooperation diversity - part II: Implementation aspects and performance analysis,” IEEE Trans. Commun., vol. 51, pp. 1939–1947, Nov. 2003.

[Sendonaris98] A. Sendonaris, E. Erkip, and B. Aazhang, “Increasing uplink capacity via user cooperation diversity,” in Proc. IEEE Int. Symp. Information Theory (ISIT), Cambridge, MA, Sept. 1998, p. 156.

[Sethuraman94] J. Sethuraman, " A constructive deffinition of dirichlet priors", Statistica Sinica, vol. 4, pp. 639-650, 1994.

[Shang13] L. Shang and A.B. Chan, "On approximate inference for generalized Gaussian process models," arXiv preprint arXiv:1311.6371, 2013.

[Shimmer15] "Wearable sensor technology - Shimmer," http://www.shimmersensing.com/.

[Simandl06] M. Simandl and J. Dunık, “Multi-step prediction and its application for estimation of state and measurement noise covariance matrices,” Dep. of Cybernetics, University of West Bohemia, Pilsen, Czech Republic, Tech. Rep., 2006.

[Smith11] K. Smith, "Trillion-dollar brain drain," Nature News, vol. 478, no. 7367, pp. 15-15, 2011.

[Teh06] Y. W. Teh, M. I. Jordan, M. J. Beal and D. M. Blei, "Hierarchical Dirichlet processes," Journal of the American Statistical Association, vol. 101, pp. 1566-1581, 2006.

[Thibaux07] R. Thibaux and M. I. Jordan, "Hierarchical beta processes and the Indian buffet process," International conference on artificial intelligence and statistics, pp. 564-57, 2007.

[Valera14] I. Valera and Z. Ghahramani, "General table completion using a Bayesian nonparametric model," Advances in Neural Information Processing Systems, pp. 981-989, 2014.

[VanHandel09] R. Van Handel. "Uniform observability of hidden Markov models and filter stability for unstable signals." The Annals of Applied Probability 19, no. 3 (2009): 1172-1199.

[VanLeeuwen13] P. J. Van Leeuwen, and M. Ades. "Efficient fully nonlinear data assimilation for geophysical fluid dynamics." Computers & Geosciences 55 (2013): 16-27.

[Vignat10] S. Zozor and C. Vignat, “Some results on the denoising problem in the elliptically distributed context,” IEEE Trans. on Signal Processing, vol. 58, no. 1, pp. 134–150, Jan. 2010.

[Vilà-Valls11] J. Vilà-Valls, C. Fernández-Prades, P. Closas, and J. A. Fernández-Rubio, “Bayesian filtering for nonlinear state–space models in symmetric ®–stable measurement noise,” in Proc. of the European Signal Processing Conference, Eusipco 2011, Barcelona, Spain, August 2011, pp. 674–678.

[Vilà-Valls12] J. Vilà-Valls, P. Closas, C. Fernández-Prades, and J. A. Fernández-Rubio, “Nonlinear Bayesian filtering in the Gaussian scale mixture context,” in Proc. of the European Signal Processing Conference, Eusipco 2012, Bucharest, Romania, August 2012.

[Wang07] T. Wang, A. Cano, G. B. Giannakis, and J. N. Laneman, “High-performance cooperative demodulation with decode-and-forward relays,” IEEE Transactions on Communication, vol. 55, pp. 1427–1437, May 2007.

[West87] M. West, “On scale mixture of normal distributions,” Biometrika, vol. 74, no. 3, pp. 646–648, Sep. 1987.

[WHODAS00] WHODAS II, "Disability assessment schedule," 2000.

[Williamson13] S. Williamson, A. Dubey and E. P. King, "Parallel Markov chain Monte Carlo for nonparametric mixture models," International Conference on Machine Learning, 2013.

[Wolpert92] D. H. Wolpert. Stacked generalization. Neural networks, 5(2):241-259, 1992.

[Xie13] S. Xie, and S. Krishnan. "Wavelet-based sparse functional linear model with applications to EEGs seizure detection and epilepsy diagnosis." Medical & biological engineering & computing 51.1-2 (2013): 49-60.